



RevNo	Revision Notes	Date	Checked
1	Initial Release	032906	G.C.



RECOMMENDED MOUNTING HOLE

RoHS Compliant



MATERIAL

BODY	BRASS
BODY PLATING	NICKEL
CONTACT	PHOSPHOR BRONZE
CONTACT PLATING	GOLD
DIELECTRIC	TEFLON (PTFE)
HEX NUT BODY	BRASS
HEX NUT PLATING	NICKEL
LUG/WASHER BODY	SPRING STEEL
LUG/WASHER BODY	NICKEL

75 Ohm IMPEDANCE
 500V PEAK VOLTAGE RATING
 TEMPERATURE RANGE: -55°C TO +155°C
 INTERFACE DIMENSIONS SIMILAR TO MIL-C-39012

MILLIMETER WAVE TECHNOLOGIES
 6501 W. FRYE ROAD, #23
 CHANDLER, AZ 85226

BNC FEMALE CHASSIS MOUNT
 SOLDER CUP 75 OHM

Designed by N. JAIN	Checked by W. CANON	Approved by A. LEE	File name MW-220-75	TITLE MW-220-75
TOLERANCES DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED DECIMALS ANGULAR .XX ± .02 ± .06 .XXX ± .005 ± .01 DO NOT SCALE THIS DRAWING			ALL DIMENSIONS ON THIS DRAWING ARE FOR REFERENCE PURPOSES ONLY AND ARE SUBJECT TO CHANGE.	
			REV. 1	Scale NONE
			DATE 032906	Sheet 1 of 1