


RevNo	Revision Notes	Date	Checked
1	RoHS Compliant	061005	PC
2	Ferrule Dim Changed	083005	PC
3	Shank Length, ID changed	022406	GC
4	REF Dimension added to overall and shank length	103108	GC



RoHS Compliant

MATERIAL

BODY	BRASS
BODY PLATING	NICKEL
CONTACT	BRASS
CONTACT PLATING	GOLD
DIELECTRIC	TEFLON (PTFE)

75 Ohm IMPEDANCE
500V PEAK VOLTAGE RATING
TEMPERATURE RANGE: -55°C TO +155°C
INTERFACE DIMENSIONS SIMILAR TO MIL-C-39012

NOTE: CONTACT EXTENDS .100"±.025 BEYOND END OF BODY

MILLIMETER WAVE TECHNOLOGIES 6501 W. FRYE ROAD, #23 CHANDLER, AZ 85226		F MALE CRIMP CABLE END for RD179	
Designed by N. JAIN	Checked by W. CANON	Approved by A. LEE	File name MW-886-A-D17975
TOLERANCES DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED DECIMALS ANGULAR .XX ± .02 ± .06 .XXX ± .005 ± .06 DO NOT SCALE THIS DRAWING		TITLE MW-886-A-D17975	
ALL DIMENSIONS ON THIS DRAWING ARE FOR REFERENCE PURPOSES ONLY AND ARE SUBJECT TO CHANGE.		REV. 4	Scale NONE
		DATE 122202	Sheet 1 of 1