



RevNo	Revision Notes	Date	Checked
1	Tolerances added to shank and contact ID's	101204	GC
2	RoHS Compliant	051005	GC



STRIP LENGTHS
M17/28-RG58



RoHS Compliant

MATERIALS	
BODY	BRASS
BODY PLATING	NICKEL
CONTACT	PHOSPHOR BRONZE
CONTACT PLATING	GOLD
DIELECTRIC	TEFLON (PTFE)
GASKET	SILICONE

50 Ohm IMPEDANCE
500V PEAK VOLTAGE RATING
TEMPERATURE RANGE: -55°C TO +155°C
INTERFACE DIMENSIONS SIMILAR TO MIL-C-39012

MILLIMETER WAVE TECHNOLOGIES 1833 W. MAIN STREET, #140 MESA, AZ 85201		TNC PLUG REVERSE POLARITY (FEMALE CONTACT) CRIMP CABLE END for RG58		
Designed by P. CHEN	Checked by S. NEUGESS	Approved by A. LEE	File name MW-750-RP-58	TITLE MW-750-RP-58
<small>TOLERANCES</small> <small>DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED</small> DECIMALS .XX ± .02 .XXX ± .005 ANGULAR ± .06		ALL DIMENSIONS ON THIS DRAWING ARE FOR REFERENCE PURPOSES ONLY AND ARE SUBJECT TO CHANGE.		REV. 2 DATE 100804 Scale NONE Sheet 1 of 1