



RevNo	Revision Notes	Date	Checked
1	RoHS Compliant	052005	PC
2	Interface thickness corrected to .145"	040209	GC



RECOMMENDED
HOLE PATTERN



RoHS Compliant

MATERIAL

BODY	BRASS
BODY PLATING	GOLD
PIN	BRASS
PIN PLATING	30u" GOLD
DIELECTRIC	TEFLON

50 Ohm IMPEDANCE
500V PEAK VOLTAGE RATING
TEMPERATURE RANGE: -55°C TO +155°C
INTERFACE DIMENSIONS SIMILAR TO MIL-C-39012

MILLIMETER WAVE TECHNOLOGIES
6501 W. FRYE ROAD, #23
CHANDLER, AZ 85226

SMB MALE VERTICAL PCB MOUNT

Designed by
N. JAIN

Checked by
W. CANON

Approved by
K. WILSON

File name
MWB-6600-G

TITLE

MWB-6600-G

TOLERANCES
DIMENSIONS ARE IN INCHES UNLESS
OTHERWISE SPECIFIED
DECIMALS ANGULAR
.XX ± .02 ± .06
.XXX ± .005
DO NOT SCALE THIS DRAWING

ALL DIMENSIONS ON THIS DRAWING ARE FOR REFERENCE
PURPOSES ONLY AND ARE SUBJECT TO CHANGE.

REV. 2	Scale NONE
DATE 031701	Sheet 1 of 1